# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.




# Tobacco Stocks Report as of April 1,1960



U. S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE TOBACCO DIVISION

The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Agricultural Marketing Service.

Stephen E. Wrather Director, Tobacco Division.



Washington, D. C. May 12, 1960

#### CONTENTS

	Page
Discussion	3- 5
Conversion factors for adjusting for losses in weight	6
Stocks of leaf tobacco, by types, converted to a FARM-SALES-WEIGHT equivalent	7
Stocks of leaf tobacco, by types and groups of grades	8-11
Summary of tobacco leaf represented in inventories of tobacco sheet	12
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers	13
Stocks of leaf tobacco, summary by types	14

### EXPLANATION OF GROUP SYMBOLS BY TYPES OF TOBACCO FOR PURPOSES OF THE TOBACCO STOCKS REPORT

GROUPS OF FLUE-CURED GROUPS OF OHIO FILLER. TYPES 11, 12, 13, and 14: TYPES 42-44: C-Fillers (farm wrappers) A-Wrappers X-Crop-run and stemming grades B-Leaf and smoking leaf Y-Farm fillers or ground leaves C-Cutters X-Lugs and primings S-Scrap S-Scrap GROUPS OF PUERTO RICAN N-Nondescript **TYPE 46:** GROUPS OF FIRE-CURED C-Superior TYPES 21, 22, and 23: X-Inferior A-Wrappers Y-Trashy (Rabia) B-Heavy leaf S-Scrap (Picadura) C-Thin leaf GROUPS OF CONNECTICUT VALLEY BROADLEAF X-Lugs AND HAVANA SEED S-N-Scrap and nondescript TYPES 51 and 52: GROUPS OF BURLEY A-Wrappers B-Binders, seconds, and brokes TYPE 31: C-Fillers and short darks B-Leaf X-Stemming grades T-Tips S-Scrap C-Lugs and cutters X-Trash and flyings GROUPS OF NEW YORK AND PENNSYLVANIA S-Scrap HAVANA SEED N-Nondescript TYPE 53: B-Binders, seconds, and brokes GROUPS OF SOUTHERN MARYLAND X-Crop-run and stemming grades **TYPE 32:** S-Scrap B-Heavy leaf or dull crop C-Thin leaf or bright crop GROUPS OF SOUTHERN AND NORTHERN WISCONSIN X-Seconds and ground leaves TYPES 54 and 55: S-Scrap B-Binders N-Nondescript C-Fillers X-Crop-run and stemming grades GROUPS OF DARK AIR-CURED S-Scrap TYPES 35, 36, and 37; A-Wrappers GROUPS OF CONNECTICUT AND GEORGIA B-Heavy leaf AND FLORIDA SHADE C-Thin leaf TYPES 61 and 62: X-Lugs A-Wrappers S-N-Scrap and nondescript B-Stout wrappers and binders C-Fillers or tips GROUPS OF PENNSYLVANIA SEEDLEAF S-Scrap TYPE 41: B-Binders or tops GROUPS OF FOREIGN-GROWN CIGAR-LEAF C-Fillers (farm wrappers) TYPES 81, 82, and 83: X-Crop-run and stemming grades A-Wrappers

C-Fillers

S-Scrap

Y-Farm fillers or ground leaves

S-Scrap

#### Total leaf tobacco stocks down from April 1 a year ago

Stocks of leaf tobacco in the United States and Puerto Rico totaled 4,709 million pounds (farm-sales-weight) as of April 1, 1960, based on the regular quarterly reports of dealers and manufacturers. This is a decline of 132 million pounds, or 2.7 percent, from the April 1 figure a year ago (4,841 million). It marks a further reduction in overall leaf stocks, and inventories are now about 500 million pounds below the record level for this quarter (5,213 million on April 1, 1957). The 1959 crop of about 1,827 million pounds was in stocks as of April 1, with the exception of around 48 million made up of Maryland and Puerto Rican types. About 223 million pounds were marketed during the quarter.

Most of the decrease volume-wise was accounted for by lower stocks of the flue-cured and burley types; these were 5 percent and 2 percent respectively less than holdings on last April 1. Stocks of the other domestic types ranged from a little below to a little above the previous year's levels. Stocks of imported cigar leaf climbed to a record high level, partly offsetting the decrease in the holdings of the domestic types.

Stocks as of April 1, 1960, included about 778 million pounds (farm-sales-weight) of leaf tobacco under Government loans (1,025 million on April 1, 1959, and 1,053 million on April 1, 1958). These loan stocks were divided as follows: flue-cured, 570 million pounds; burley, 115 million; Maryland, 9.1 million; fire-cured, 49.0 million; dark air-cured, 20.1 million; and cigar leaf, 15.1 million.

<sup>1/</sup> Figures quoted for type totals in this summary are the farm-salesweight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. (See tables in body of report for reported weight basis.) This report is issued quarterly.

<sup>2/</sup> All Government loan stocks are reported by Grower Cooperatives, which are considered dealers for stocks-reporting purposes.

#### CIGARETTE-LEAF STOCKS

# Inventories of flue-cured, Burley, and Maryland smaller than on last April 1 Stocks of foreign-grown cigarette leaf at record level

Flue-cured stocks totaled 2,345 million pounds as of April 1, 1960, a decrease of 112 million from holdings a year earlier (2,457 million). The crop of 1959, totaling 1,079 million pounds, was slightly smaller than the one grown in 1958 (1,081 million). Sales of 1959-crop flue-cured were completed prior to January 1, 1960.

Inventories of <u>Burley</u> were reported at 1,477 million pounds on this April 1--25 million less than holdings on the same date a year ago (1,502 million). Sales during the first quarter totaled about 58 million pounds, the amount of the 1959 crop of 503 million left to be sold after the Christmas holidays.

Maryland holdings as of the April 1 reporting date were 58.5 million pounds--1.8 million smaller than the amount held a year earlier (60.3 million). The 1959 crop, estimated as 33.2 million pounds, will be marketed during the May-July period this year.

Stocks of <u>foreign-grown cigarette</u> and smoking tobacco (Turkish and other) were 232.8 million pounds--about 1½ million over the figure reported the previous April 1 (231.6 million), and the largest holdings of imported cigarette leaf as of April 1 on record.

#### DARK TOBACCO STOCKS

## Fire-cured inventories slightly lower Dark air-cured down about 2 percent

Fire-cured stocks, reported at 142.1 million pounds on April 1, 1960, were 1.2 million under those reported on last April 1 (143.3 million). Decreases in the Virginia and Eastern District types were partly offset by an increase in the Western District. Marketings of the 1959 crop, completed during the first quarter, totaled 53.1 million pounds, an increase of about 10 million pounds over the record low sales of the 1958 crop (43.1 million). About 48 million pounds were sold in the January-March quarter. Virginia fire-cured stocks on this April 1 were 26.1 million pounds, Kentucky and Tennessee Eastern District, 93.5 million, and Western District, 22.5 million.

Holdings of dark air-cured, totaling 78.9 million pounds on April 1, 1960, were 1.3 million smaller than stocks on hand a year ago (80.2 million). Inventories of both One Sucker and Virginia sun-cured showed slight increases over last April 1, but these only partly offset the decrease of 2 million pounds in stocks of Green River. Sales of the 1959 crop, totaling 21.5 million pounds, were completed during the quarter, and were 3½ million larger than last year's sales (18.0 million), the smallest on record. Of the total, about 12 million was sold in the January-March period. Inventories of dark air-cured as of April 1, 1960, by types, were as follows: One Sucker, 49.4 million pounds; Green River, 23.1 million; and Virginia sun-cured, 6.5 million.

#### CIGAR LEAF STOCKS

#### Holdings of domestic cigar leaf about the same as a year ago Foreign-grown cigar leaf stocks at record level

Inventories of all domestic-grown cigar tobacco, including Puerto Rican, totaled 319.1 million pounds (farm-sales-weight) on April 1, 1960. This was a decrease of about a million pounds compared with stocks reported on last April 1 (320.2 million). Except for part of the 1959-60 Puerto Rican filler crop, all of the 1959 cigar-leaf production of 140.0 million pounds was in stocks by this April 1. Holdings of foreign-grown cigar leaf were 52.7 million pounds (unstemmed equivalent), an increase of about 10 million over stocks reported on April 1 the previous year (42.8 million), and the largest holdings of imported cigar leaf as of April 1 on record.

Holdings of cigar-filler types as of April 1, 1960, totaled 198.8 million pounds--0.3 million larger than the figure reported on last April 1 (198.5 million). Stocks of the Pennsylvania and Ohio types were slightly higher and those of Puerto Rican slightly lower than those reported a year ago. Cigar-filler leaf inventories, by types, on April 1, 1960, were as follows: Pennsylvania filler, 130.5 million pounds; Ohio, 20.9 million; and Puerto Rican, 47.4 million.

Cigar-binder stocks totaled 94.1 million pounds on April 1, 1960--a decrease of 3.3 million from inventories reported a year earlier (97.4 million). Except for a small increase in Southern Wisconsin, stocks of all binder types were down from a year ago, each by about 2 million pounds. Connecticut Valley Broadleaf stocks this April 1 were 21.1 million pounds; Connecticut Valley Havana Seed, 15.1 million; Southern Wisconsin, 26.7 million; and Northern Wisconsin, 31.1 million.

Shade-grown cigar leaf stocks of 26.3 million pounds were 1.9 million more than those reported last year (24.4 million). Stocks of both types were higher. As of April 1, 1960, holdings of Connecticut Valley Shade were 16.7 million pounds; and of Georgia-Florida Shade, 9.5 million.

Stocks of <u>Cuban (Havana)</u> leaf, reported at 35.4 million pounds, were up more than 11 million over last year and at a record high level. <u>Sumatra leaf holdings were 40 thousand pounds</u>; and <u>Philippine Islands (Manila)</u> stocks totaled 12.7 million pounds, about a million less than those on hand a year ago.

LEAF REPRESENTED IN STOCKS OF TOBACCO SHEET (see table 4)

#### Stocks represented in tobacco sheet show increase

Stocks of leaf represented in inventories of "tobacco sheet" totaled 6.2 million pounds (reporting weight) compared with 3.0 million on the previous April 1. Of the total in "tobacco sheet" this April 1, 4.3 million pounds was for use in cigarettes and smoking tobacco, and 1.9 million for cigar binder including a very small quantity for wrappers.

TABLE 1.-Average percentage of weight remaining after handling, sweating, drying, and sterming, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales-weight equivalent, by types of tobacco 1/

SOUTHERN TYPES (11-37)

		Yield r	Yield realized from farm-sales-weight to	es-weight to	Sten	Stemming	Factors used	Factors used to multiply by to
E	Type		Packed in domestic order	der	Yield from		מואפו מואפו	por real scocks of
	number	Packed	to the end	end of	- actual veight at	farm-sales	stermed stocks to	:Unstemmed stocks :to farm-sales-
		weight	One year in storage	: Two years : in storage	- time of operation	#31ght	unstermed equivalent	:weight equivalent 2/
		Percent	t Percent	Percent	Percent	Percent	Factor	Factor
Flue-cured	11-14	0.06		88.7	78.0	0.69	1.282	1,12
Virginia fire-cured	ನ	81.0	80.0	80.0	0.77	62.0	1.299	1.24
Tenn. and Ky. fire-cured. :	22-23	: 98.5		92.7	0.97	69.5	1.316	1.04
Burley	E :	90.0		87.3	74.0	0.5	1.351	1.12
Southern Maryland	35 a	0.00		94.1	74.0	0.69	1.351	1.02
Green River	3%	0.06	87.3	38	76.0	01.0 64.5	1.316	1.0%
Virginia sun-cured	37	86.0	85.0	85.0	76.0	65.0	1.316	1.16
••			CIGAR LEAF TYPES (41-62)	41-62)				
Pennsylvania Seedleaf	147	97.3		82.0	72.0	58.0	1.387	3/
Gebhardt	75	: 97.1		6.08	73.0	58.0		1
Zirmer	643	95.9	0.59	8.00	72.5	56.5	(1.387	<u>(S)</u>
Dutch	₫`	: 96.7		81.7	70.5	5.6.5	_	
Puerto Rico	94	0.88 88	83.6	82.0	78.5	5.00	1.275	7,1,1
Connecticut Broadlesf :	51	97.0		83.1	77.5	62.5	1.292	mi
Connecticut Havana Seed . :	52	97.0		83.1	77.0	62.5	1.299	mi
N. Y. and Pa. Havans Seed :	ر در ا	91.0		8 6	73.5	58.5	1.364	mle
Southern Wisconsin	¥,	90.3		1.63	0.1.	7.67 7.00	1.300	mlo
Northern Wisconsin	رر در	.52.		0	0.0	0.62	1.333	mik
Connecticut Shade	100	7.16	200	± 6	01.7	0.50	T. C.C.4	\ <u>\</u>
Ga. and Fla. Shade	20	1.60		08.30	03.0	0.0	T.202	\si
			MISCELLANEOUS DONE	MISCELLANEOUS DOMESTIC AND FOREIGN GROWN TYPES (72-90)	OWN TYPES (72	(06-		
Miscellaneous Domestic :	72-77	1			-	-	1.333	1.09
Foreign-grown cigar leaf. :	8184	:	!	:	1	1	1.205	क्री
Foreign-grown cigarette :	0						0	7-1
and smoking tobacco	0	l 	1	!	:	:	1.205	<del>+</del> 11
1/ Information in this table taken from U.	e taken f		S. Department of Agriculture Circular 435.	ure Circular 435.	obacco Shrink	ages and Losse	Tobacco Shrinkages and Losses in Weight in Handling and	Handling and

Ly involuntion in this that there is no performent of Agriculture Circular 435, Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. 2/ Factors for converting unstermed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating, and storage. 3/ See footnote 2 on page 7 for conversion factors to farm-sales-weight equivalent for cigar leaf except Type 46. 4/ Foreign-grown stocks not converted to farm-sales-weight equivalent.

Table 2.--Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, April 1, 1960, compared with other quarters 1/2/

#### FARM-SALES WEIGHT

	: U.S.		April 1,		January 1,	October 1,	April 1,
Type name	: type :	1960	1959	1958	1960	1959	1959
	:	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue-cured	11-14	2,345,045	2,457,039	2,568,381	2,596,782	2,555,429	2,210,373
Virginia fire-cured Tennessee and Kentucky fire-cured (Eastern District)	21 22	26,090 93,508	26,638 96,037	28,148 107,812	24,682 72,716*	22,537 81,631	25,391 90,024
Kentucky and Tennessee fire-cured (Western District)	23	22,513	20,655	24,966	15,198*	17,614	19,516
Total Fire-cured	21-23	142,111	143,330	160,926	112,596*	121,782	134,931
Burley Southern Maryland	31 : 32	1,477,376 58,520	1,501,835 60,300	1,537,236 61,898	1,483,057* 64,171*	1,235,515 72,03 <sup>1</sup> 4	1,365,599 77,208
Total Light Air-cured	: 31-32	1,535,896	1,562,135	1,599,134	1,547,228*	1,307,549	1,442,807
One Sucker Green River Virginia sun-cured	: 35 : 36 : 37	49,354 23,054 6,475	49,152 25,005 6,027	55,978 28,826 6,532	43,265* 22,311 5,551	42,794 20,810 4,946	46,030 23,148 5,549
Total Dark Air-cured	: 35-37	78,883	80,184	91,336	71,127*	68,550	74,727
Pennsylvania Seedleaf Ohio Filler (Miami Valley) Puerto Rican:	41 42-44	130,487 20,931	1 <i>2</i> 9,956 20,062	125,322 23,495	93,144 15,892	104,285 17,121	119,823 18,577
In United States In Puerto Rico Total Cigar-filler	46 46 41-46	22,694 24,671 198,783	21,422 27,027 198,467	26,910 30,404 206,131	22,353 16,238* 147,627*	20,493 21,893 163,792	17,796 38,449 194,645
Connecticut Valley Broadleaf Connecticut Valley Havana Seed Southern Wisconsin Northern Wisconsin Total Cigar-binder	51 52 54 55 51-55	21,107 15,124 26,734 31,114 94,079	22,464 16,791 25,214 32,893 97,362	25,553 19,564 24,812 34,927 104,856	20,370* 16,446* 18,910 22,589 78,315*	20,041 14,526 20,906 25,260 80,733	21,004 16,331 23,219 28,518 89,072
Connecticut shade Georgia and Florida shade Total Cigar-wrapper	61 62 61-62	16,732 9,519 26,251	15,400 8,998 24,398	15,298 9,299 24,597	18,813* 10,715* 29,528*	15,319 9,378 24,697	12,970 7,339 20,309
Low-nicotine Low-nicotine Perique Other Miscellaneous Domestic 3/ Domestic Aromatic Total Miscellaneous Domestic	31-V 70 72 73 77 31-V &	65 81 629 1,862	90 106 718 2,617 457	72 105 741 1,599 374	71 85* 484 2,568* 435	81 93 506 2,412 427	87 100 603 2,429 210
	70-77	2,993	3,988	2,891	3,643*	3,519	3,429
Cuba (Havana) 4/ Sumatra and Java 4/ Philippine Islands (Manila) Other foreign-grown cigar-leaf 4/ Total Foreign-grown Cigar-leaf 4/	81 82 83 84 81-84	35,427 40 12,697 4,487 52,651	24,018 20 13,467 5,293 42,798	19,976 40 7,459 5 27,480	26,271* 21 11,126 5,226 42,644*	29,351 23 9,284 5,438 44,096	25,131 84 12,875 5,255 43,345
Foreign-grown cigarette & smoking tobacco (Turkish and other) 4/	90	232,798	231,557	227,862	229,000*	209,002	235,525
Total All Types	: 11-90	4,709,490	4,841,258	5,013,594	4,858,490*	4,579,148	4,449,163
	: :						

<sup>1/</sup> Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.
2/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigarleaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for April 1, 1960 are as follows: Type 41, 105; Types 42-44, 112; Type 51, 105; Type 52, 106; Type 54, 105; Type 55, 106; Type 61, 109; Type 62, 113. April 1, 1960 figures subject to revision.

For explanation of stocks included in this classification, see footnote 5 on page 11.

<sup>3/</sup> For explanation of stocks included in this classification, see footnot 4/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

<sup>\*</sup> Revisions in January 1, 1960 report.

Table 3.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, April 1, 1960 compared with April 1, 1959, and January 1, 1960

#### REPORTED WEIGHT

Type 11. 01	d and Middle Belt	flue=cured	9	TYPES 11-14	- FLUE-CURE	D			
Group	:	ril 1, 1960 2	/ :	Ap	ril 1, 1959	:	Jar	nuary 1, 1960	
	: Unstemmed : 1,000 lo.	Stemmed:	Total : 1,000 lb. :	Unstemmed:	Stemmed:	Total : 1,000 lb. :		Stemmed:	Total 1,000 lb.
Total Leaf	329,424	282,387	611,811	383,662	276,949	660,611 :		303,539	680,268
	stern North Carol			1.02 (80	005 500	(00,000			
	: 301,339	341,569	642,908 :	401,689	297,702	699,391 :	343,176	367,788	710,964
	uth Carolina flue : 220,782	177,710	398,492 :	260,032	155,661	415,693:	250,705	192,420	443,125
Type 14, Ge Total Leaf	orgia and Florida : 29,902	flue-cured 141,494	171,396 :	28,544	142,695	171,239 :	34,783	158,988	193,771
	, Total flue-cure	d					3.9.1-3		-23) 11-
Total Leaf Other Leaf	: 881,447	943,160 2,442	1,824,607 : 2,523 :	1,073,927	873,007 517	1,946,934 : 517 :	1,005,393	1,022,735	2,028,128
Total	: 881,528	945,602	1,827,130 :	1,073,927	873,524	1,947,451 :	1,005,846	1,023,954	2,029,800
				TYPES 21-23	- FIRE-CUR	ED			
Type 21, Vi Total Leaf	rginia fire-cured: 20,752	222	20,974 :	21,230	194	21,424 :	19,621	219	19,840
	nnessee and Kentu								
Total Leaf	: 89,268	1489	89,757 :	91,526	621	92,147 :	68,352	1,191	69,543
Type 23, Ke Total Leaf	ntucky and Tennes : 21,585	see fire-cure	d (Western Dis 21,632 :	19,811	38	19,849 :	14,597*	12	14,609*
	, Total fire-cure : 131,605	d. 758	132,363 :	132,567	853	133,420 :	102,570*	1,422	103,992*
M 21 D.				TYPES 31-32	- LIGHT AI	R-CURED			
Type 31, Bu Total Leaf Other Leaf	: 364,967	704,660	1,069,627 :	505,745	617,871	1,123,616 : 322 :	532,599* 301	585,017 666	1,117,616* 967
Total	: 364,967	1,572 706,232	1,572 : 1,071,199 :	505,745	618,193	1,123,938 :	532,900*	585,683	1,118,583*
Type 32, So Total Leaf	uthern Maryland: 28,705	21,186	49,891 :	31,591	20,321	51,912 :	30,338*	24,067	54,405*
Other Leaf Total		34	34 : 49,925 :	31,591	5 <sup>4</sup> 20,375	54 : 51,966 :	30,338*	45 24,112	45 54,450
10001	. 20,107	21,220		J=3//=		72,700 .	30, 330		74,470
				TYPES 35-37	- DARK AIR	-CURED			
Type 35, On Total Leaf	: 42,778	1,750	44,528 :	42,473	1,834	44,307:	37,677*	1,411	39,088*
Type 36, Gr									
Total Leaf		1,087	20,059 :	20,209	1,458	21,667 :	18,417	1,008	19,425
	rginia sun-cured : 5,298	216	5,514:	4,834	275	5,109 :	4,493	222	4,715
Types 35-37 Total Leaf	, Total dark air-	cured 3,053	70,101 :	67,516	3,567	71,083 :	60,587*	2,641	63,228*
TOTAL DEAL	. 07,040	2,022	10,101 .	01,710		12,000	00,001	2,011	05,220
Maria la s		-6		TYPES 41-46	- CIGAR LE	AF FILLER			
В	nnsylvania Seedle : 1,866	24	1,890 :	2,482	142	2,524 :	1,398*	2 1/10	1,402*
C X	: 73,010 : 24,506	2,599 702	75,609 : 25,208 :	67,890 31,120	2,362 992	70,252 : 32,112 :	57,081* 13,988	2,419 <b>70</b> 8	59,500* 14,696
Y S	: 12,640 : 59	571 4,620	13,211 : 4,679 :	6,821 178	545 5,063	7,366 : 5,241 :	3,158 31	509 4,872	3,667 4,903
Total Leaf	: 112,081	8,516	120,597:	108,491	9,004	117,495 :	75,656* 110	8,512 216	84,168* 326
Other Leaf Total	1/: 118 : 112,199	189 8,705	307 : 120,904 :	155 108,646	230 9,234	117,880 :	75,766*	8,728	84,494*
See footnot	es at end of tabl							Con	tinued

Table 3.--Stocks of leaf tobacco, including leaf in tobacco sheet 1, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, April 1, 1960 compared with April 1, 1959, and January 1, 1960--Continued

#### REPORTED WEIGHT

TYPES 41-46 - CIGAR LEAF FILLER--Continued

Types 42-44,	Ohi	o Filler (Mia	mi Valley)							
Group	:	Ag	ril 1, 1960 <u>2</u>	/ :	Ag	pril 1, 1959	:	Jan	uary 1, 1960	
-	:-	Unstermed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
	:	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
	:			:			:			
C		2,597	91	2,688:	1,560	33	1,593 :	949	88	1,037
X		14,960	160	15,120:	13,936		13,936 :	11,185*	566	
Y		117	180	297 :	547	764	1,311:	153	433	11,751 586
S	:	3	284	287 :		312	312 :	*	274	274*
Total Leaf	:	17,677	715	18,392 :	16,043	1,109	17,152 :	12,287	1,361	13,648
Other Leaf 1/	÷		14	14:		12	12:		10	10
Total	:	17,677	729	18,406 :	16,043	1,121	17,164:	12,287	1,371	13,658
Type 46, Puer	to 1		tinental Unit							
C	:	103	5,428	5,531 :	15	5,008	5,023:	9	5,597	5,606
X	:	5,979	706	6,685 :	5,478	1,254	6,732 :	5,653	758	6,411
Y	:	142		142 :	82		82 :	141	8	149
S	:	510	3,796	4,306:	300	3,481	3,781 :	594	3,603	4,197
Total Leaf	:	6,734	9,930	16,664 :	5,875	9,743	15,618 :	6,397	9,966	16,363
Other Leaf 1/	:		2	2:		9	9:		1	1
Total	:	6,734	9,932	16,666:	5,875	9,752	15,627 :	6,397	9,967	16,364
Type 46, Puer	to 1	Rican (In Pue								
C	:	10,294	1,798	12,092 :	10,888	1,966	12,854 :	4,136*	2,403*	6,539*
X	:	7,225	271	7,496 :	8,400	457	8,857 :	4,829*	613*	5,442*
Y	:	429	14	443 :	415		415 :	85	50	135
S-N	:	172	243	415 :	174	105	279 :	78	660*	738*
Total Leaf	:	18,120	2,326	20,446:	19,877	2,528	22,405 :	9,128*	3,726*	12,854*
T 1/6 T-+-	, n									
Type 46, Tota	1 17	uerto Rican	7,226	17,623 :	30.003	6.07	17,877 :	4,145*	8 000*	10 11/6*
_		10,397			10,903	6,974			8,000*	12,145*
X	:	13,204	977	14,181 :	13,878	1,711	15,589 :	10,482*	1,371*	11,853*
Y	:	571	14	585 :	497	2 506	497:	226	58	
S-N	:	682	4,039	4,721 :	474	3,586	4,060 :	672	4,263	4,935
Total Leaf	:	24,854	12,256	37,110 :	25,752	12,271	38,023 :	15,525*	13,692*	29,217*
Other Leaf 1/	:		2	2:		9	9:		1	1
Total	:	24,854	12,258	37,112 :	25,752	12,280	38,032 :	15,525*	13,693*	29,218*

#### TYPES 51-55 - CIGAR LEAF BINDER

Type 51, Co	nnecti	cut Valley B	roadleaf							
A	:	1,189	4	1.193:	1,274	20	1,294:	1,158	10	1,168
В		14,705	77	1,193 : 14,782 :	15,589	182	15,771 :	14,260*	91	14,351*
C		145	2	147 :	642	14	656 :	164	2	166
X	:	2,895	13	2,908 :	2,198	38	2,236 :	2,719	22	2,741
S	:	39	272	311 :		157	157 :	27	262	289
Total Leaf	:	18,973	368	19,341 :	19,703	411	20,114 :	18,328*	387	18,715*
Other Leaf	1/:	347	237	584 :	435	405	840 :	319	196	515
Total	:	19,320	605	19,925:	20,138	816	20,954:	18,647*	583	19,230*
Type 52, Co	nnectio	cut Valley H	avana Seed							
A	:	1,903	2	1,905:	924	1	925 :	835	2	837
В	:	7,165	100	7,265 :	11,482	105	11,587 :	9,083*	22	9,105*
C	:	143		143:	915	ĺ	916 :	659		659
X	:	2,643	1,217	3,860:	1,706	57	1,763:	2,667	1,244	3,911
S	:	47	219	266 :		118	118 :	28	197	225
Total Leaf	:	11,901	1,538	13,439 :	15,027	282	15,309 :	13,272*	1,465	14,737*
Other Leaf	1/:	369		369:	428	15	443:	340		340
Total	:	12,270	1,538	13,808:	15,455	297	15,752:	13,612*	1,465	15,077*
	uthern									
В	:	84	8	92:	114	13	127 :	74	16	90
C	:	. 55		55 :	14		14:	21		21
X	:	24,770	94	24,864 :	23,777	245	24,022 :	17,901	121	18,022
S	:	367	34	401 :			:			
Total Leaf	:	25,276	136	25,412:	23,905	258	24,163 :	17,996	137	18,133
Other Leaf	1/:		6	6:		3	3:		7	7
Total	:	25,276	142	25,418:	23,905	261	24,166 :	17,996	144	18,140

See footnotes at end of table.

Table 3.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, April 1, 1960 compared with April 1, 1959, and January 1, 1960--Continued

#### REPORTED WEIGHT

TYPES 51-55 - CIGAR LEAF BINDER--Continued

Type 55, Northern Wisconsin

Group	:	AŢ	oril 1, 1960	<u>1</u> /	Ar	ril 1, 1959	:	Janu	ary 1, 1960	
	:	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
	:	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
	:			:			:			
В	:	3,943	135	4,078:	7,295	180	7,475 :	3,572	158	3,730
C	:	986		986 :	222	10	232 :	17	267	284
X	:	23,190	406	23,596:	22,806	458	23,264:	16,907	170	17,077
S	:	237	108	345 :		36	36 :		83	83
Total Leaf	:	28,356	649	29,005:	30,323	684	31,007:	20,496	678	21,174
Other Leaf 1/	:	121	8	129:	32	45	77 :	101	9	110
Total	:	28,477	657	29,134:	30,355	729	31,084 :	20,597	687	21,284

TYPES 61-62 - CIGAR LEAF WRAPPER

Type 61, Cor	necti	cut Shade								
A	:	11,115	686	11,801:	11,411	292	11,703:	13,231*	584	13,815*
В	:	918		918:	728		728 :	938*		938*
C	:	293		293:	246		246 :	332	23	355
S	:	71	1,270	1,341:	233	738	971 :	175	1,251	1,426
Total Leaf	:	12,397	1,956	14,353:	12,618	1,030	13,648 :	14,676*	1,858	16,534*
Other Leaf 1	L/ :	46	419	465 :	30	286	316 :	69	327	396
Total	_ :	12,443	2,375	14,818:	12,648	1,316	13,964 :	14,745*	2,185	16,930*
Type 62, Geo	orgia	and Florida S	hade							
A	:	7,276	134	7,410:	6,931	221	7,152 :	8,373	233	8,606
B	:	74		74:	1.25		125 :	64*		64*
C	:	55	14	69:	49	5	54 :	39		39
S	:	10	689	699:		428	428 :	11	663	674
Total Leaf	:	7,415	837	8,252:	7,105	654	7,759:	8,487*	896	9,383*

#### GROUP SUMMARY ALL CIGAR TOBACCO 3/

April 1, 1960 2/

	+			Group			
Class	. A :	В :	C :	: X :	Y	: S-N :	Total
	: 1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Ed 22 on Brown ha h6 h /	:	2 000	05.000	5) 500	21	2 (0=	.=(
Filler, Types 41-46 4/ Binder, Types 51-55	2 000	1,890	95,920	54,509	14,093	9,687	176,099
Wrapper, Types 61-62	: 3,098 : 19,211	26,217 992	1,331 362	55,228		1,323 2,040	87,197 22,605
Foreign, Types 81-84	: 875	24,048	12,748			11,724	49,395
Total Leaf	23,184	53,147	110,361	109,737	14,093	24,774	335,296
Other Leaf 1/	:	7.75-11	110,001	1073131	14,075	L-7) [[-7	1,895
Total	:						337,191
			April 1,	1959			
Filler, Types 41-46 4/		2,524	89,722	61,637	9,174	9,613	172,670
Binder, Types 51-55	: 2,219	34,960	1,818	51,285		311	90,593
Wrapper, Types 61-62	: 18,855	853	300			1,399	21,407
Foreign, Types 81-84	: 835		28,579			10,100	39,514
Total Leaf	: 21,909	38,337	120,419	112,922	9,174	21,423	324,184
Other Leaf 1/	:						2,135
Total	:						326,319
	•		January 1,	1960			
Filler, Types 41-46 4/		1,402*	72,682*	38,300*	4,537	10,112*	127,033*
Binder, Types 51-55	: 2,005	27,276*	1,130	41,751		597	72,759*
Wrapper, Types 61-62	: 22,421	1,002	394			2,100	25,917*
Foreign, Types 81-84	:1,071		29,685			8,721*	39,477*
Total Leaf	: 25,497*	29,680*	103,891*	80,051*	4,537	21,530*	265,186*
Other Leaf 1/	:						1,728
Total	:						266,914*

See footnotes at end of table.

Continued ---

Table 3.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, April 1, 1960 compared with April 1, 1959, and January 1, 1960--Continued

#### REPORTED WEIGHT

TYPES 31-V and 70-77 - MISCELLANEOUS DOMESTIC

Type 31-V, Low	Nicotine								
Group	:	April 1, 1960 2	2/ :	A	pril 1, 1959	:	Ja	nuary 1, 1960	
	Unstermed	: Stemmed :	Total :	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
	: 1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf	:	43	43		59	59 :		47	47
Type 70, Low N	icotine _								
Total Leaf	:	56	56 :		73	73 :		59	59
Type 72, Perig		125	1.00		494	494 :		333	333
Potal Leaf		415	439 :			474			
Type 73, Other	miscellaneous	s domestic 6/	3 000 .	58	1,758	1.816 :	2	1 766	1 768
Total Leaf	: 2	1,280	1,282:	20	1,170	1,010 :		1,766	1,768
Type 77, Domes	tic Aromatic		327 :	419		419 :	399		399
Types 31-V and Total Leaf	70-77, Total	miscellaneous	domestic 2,147:	477	2,384	2,861 :	401	2,205	2,606
			TYPES 81	-84 - FORE	IGN-GROWN CIG	AR-LEAF			
ype 81, Cuba	(Havana)		872 :	794	22	816 :	1,062	2	1,064
A C	: 863 : 16,990	9 7,058	24,048 :	8,839	3,939	12,778 :	10,896	4,926*	15,822
S	2,792	5,191	7,983 :	4,199	4,465	8,664 :	2,768	4,641*	7,409
Total Leaf	20,645	12,258	32,903:	13,832	8,426	22,258 :	14,726	9,569*	24,295
Other Leaf 1/	: 11		11 :	9	20	29 :	13	1	14
Total	: 20,656	12,258	32,914 :	13,841	8,446	22,287 :	14,739	9,570*	24,309
ype 82, Sumat		/							
A C	: 3 : 7	25	3 : 32 :	19 1		19:	7 14		7
Total Leaf	: 10	25	35 :	20		20 :	21		21
ype 83, Phili									
С	6,450	1,812	8,262 :	4,564	5,951	10,515 :	4,363	4,310	8,673
S	2,214	1,527	3,741 :	117	1,319	1,436 :	1.09	1,203	1,312 9,985
otal Leaf	8,664	3,339	12,003:	4,681	7,270	11,951 :	4,472	5,513	9,905
ther Leaf 1/ Total	8.664	3,347	12.011 :	4,681	7,291	21:	4,472	<u>9</u> 5,522	9,994
			12,011 :	4,001	1,271	11,912:	4,412	7,722	7,77
ype 84, Other	foreign-grown 4.291	cigar-leaf	4,454 :	5,247	38	5,285 :	4,930	246	5,176
	.,-/_		- FOREIGN-GE						
otal Leaf	: 232,326	222	232,548 :	231,527	25	231,552 :	228,516*	268	228,78
ther Leaf 1/	: 51	127	178 :			:	61	83	14
Total	020 277	2/10	222 726 .	221 527	25	221 552 .	228 5774	253	228 028

#### TYPES 11-90 - TOTAL ALL TYPES

Total Leaf :	1,998,991	1,717,589	3,716,580 :	2,326,097	1,559,465	3,885,562 :	2,181,276*	1,682,669*	3,863,945*
Other Leaf 1/:	1,144	5,058	6,202 :	1,089	1,939	3,028 :	1,767	2,789	4,556
Total :	2,000,135	1,722,647	3.722.782 :	2.327.186	1,561,404	3.888.590 :	2.183.043*	1.685.458*	3.868.501*

Total

<sup>1/</sup> Represents leaf tobacco in stocks of reconstituted or processed tobacco shows.
2/ Subject to revision.
3/ Summary according to groups of grades reflecting a broad quality breakdown of total cigar leaf stocks.
4/ Includes Puerto Rican on the Island, Type 46.
5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.
6/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.
\* Revisions in January 1, 1960 report.

Table 4.--Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and for cigarettes (including smoking tobacco), separately  $\underline{1}/$ 

#### REPORTED WEIGHT

		KLF	Cigar	Binder	111		
U.S. type number	:	1960	April 1, 1959	1958	January 1, 1960	October 1, 1959	July 1, 1959
1100000	: .	: 1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11-14	: Unstemmed	: 6			1	5	
	:	:					
32	: Unstermed	:		4	40	3 26	3
	: Stemmed : Total	17	53 53	4	40	29	32 35
41	:	:		205	770		
41	: Unstemmed : Stemmed	: 118	155 230	295 182	110 216	103 160	230
	: Total	: 307	385	477	326	263	192 422
42-44	Stemmed	14	12	3	10	6	10
46	Stemmed	: 2	9	3	1	9	9
	:	:	1			- 60	
51	: Unstemmed : Stemmed	: 347 : 237	435 405	239 270	319 196	368 145	378 372
	: Total	584	840	509	515	513	750
52	: Inctowned	360	428	has	21.0		
52	: Unstemmed : Stemmed	: 369	15	435	340	335	477
	: Total	369	443	435	340	335	477
54	Stemmed	: 6	3	6	7	7	8
55	: Unstemmed	: 121	32 45	36	101	111	109
	: Stemmed : Total	: 8	45 77	36	9 110	9 120	10
	:	:	11		110		
61	: Unstemmed	: 46 : 419	30	ol: o	69	48	45
	: Stemmed : Total	465	286 316	243 243	327 396	310 358	314 359
62	: Stemmed	:		10			
81	: Unstemmed	: 11	9	6	13	16	18
	: Stemmed	:	20	11	1	8	7
	: Total	: 11	29	17	14	24	25
83	Stemmed	: 8	21	1	9	3	9
Total	: Unstemmed	: 1,018	1,089	1,011	953	989	1,260
	: Stemmed : Total	: 900 : 1,918	1,099 2,188	733 1,744	816 1,769	683 1,672	963 2,223
	20002		tes (Includin			=)-1-	
11-14	: !!	:			452	266	2
11-14	: Unstemmed : Stemmed	: 75 : 2,442	517	993			688
	: Total	: 2,517	517	993	1,219 1,671	939 1,205	691
31	: Unstemmed	:			301	177	
<u>J</u>	: Stemmed	1,572	322	619	666	628	446
	: Total	: 1,572	322	619	967	805	446
32	Stemmed	17	l		5	7	4
90	: Instemmed	: 51			61	25	
90	: Unstemmed : Stemmed	: 127			83	35 21	
	: Total	: 178			144	56	
Total	: Unstemmed : Stemmed	: 126	840	1,612	814 1,973	478 1,595	1,138
	: Stemmed : Total	4,158	840	1,612	2,787	2,073	1,141
m-+-3	VI	7.71.1		nd Total		1 1.20	1 062
Total all	: Unstemmed : Stemmed	: 1,144 : 5,058	1,089 1,939	1,011 2,345	953 814	1,467 2,278	1,263 2,101
Types	: Total	: 6,202	1,939 3,028	3,356	4,556	3,745	3,364
					- 11		

<sup>1/</sup> These stocks included in table 3 under respective type as "Other Leaf".

Table 5.--Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers,

April 1, 1960 compared with April 1, 1959 1/ 2/

#### REPORTED WEIGHT

U.S. Reported as owned by manufacturers 3/ Reported as owned by dealers type:  April 1, 1960  Napril 1, 1960  Paril 1, 1960  April 1, 1960  Instemmed Stemmed Total 1959  Unstemmed Stemmed Stemmed 1,000 lb.	Total 1,000 lb. 266,345 251,079 162,894 36,574 716,892	April 1, 1959 1,000 lb. 273,950 300,955 184,899 32,554 792,358
Unstemmed Stemmed 1,000 lb. 1,000 lb	266,345 251,079 162,894 36,574 716,892	1959 1,000 1ь. 273,950 300,955 184,899 32,554
11 76,022 269,444 345,466 386,661 253,402 12,943 12 66,299 325,530 391,829 398,436 235,041 16,038 13 67,597 168,001 235,598 230,794 153,186 9,708 14 580 134,242 134,822 138,685 29,321 7,253	266,345 251,079 162,894 36,574 716,892	273,950 300,955 184,899 32,554
12 66,299 325,530 391,829 398,436 235,041 16,038 13 67,597 168,001 235,598 230,794 153,186 9,708 14 580 134,242 134,822 138,685 29,321 7,253	251,079 162,894 36,574 716,892	300,955 184,899 32,554
14 580 134,242 134,822 138,685 29,321 7,253	36,574 716,892	32,554
11-14 210.579 899.659 1.110.2384/ 1.155.093 670.950 45 049		792,358
	10,279	
21 10,484 211 10,695 11,227 10,268 11 22 47,981 468 48,449 48,984 41,287 21 23 7,080 14 7,094 6,902 14,505 33 21-23 65,545 693 66,238 67,113 66,060 65	41,308 14,538	10,197 43,163 12,947
21-23 65,545 693 66,238 67,113 66,060 65	66,125	66,307
31 226,869 681,034 907,903 836,015 138,099 25,197 32 12,746 21,208 33,954 30,243 15,960 11 31-32 239,615 702,242 941,857 866,258 154,059 25,208	163,296 15,971 179,267	287,923 21,723 309,646
35 24,286 1,720 26,006 27,686 18,491 31 36 11,828 1,022 12,850 13,801 7,144 65 37 4,823 216 5,039 4,428 475	18,522 7,209 475	16,621 7,866 681
35-37 40,937 2,958 43,895 45,915 26,110 96	26,206	25,168
41 92,077 7,976 100,053 91,046 20,123 728 42-44 15,584 713 16,297 16,107 2,094 15 46 4/ 9,086 11,504 20,590 22,783 15,767 755 41-46 116,747 20,193 136,940 129,936 37,984 1,498	20,851 2,109 16,522 39,482	26,834 1,057 15,249
41-46 116,747 20,193 136,940 129,936 37,984 1,498	39,402	43,140
51     10,422     473     10,895     11,058     8,899     131       52     6,016     1,513     7,529     6,861     6,253     26       54     18,494     100     18,594     22,520     6,782     42       55     23,010     563     23,573     22,553     5,467     94       51-55     57,942     2,649     60,591     62,992     27,401     293	9,030 6,279 6,824 5,561 27,694	9,896 8,891 1,646 8,531 28,964
61 7,424 1,831 9,255 8,802 5,019 544 62 5,341 753 6,094 5,583 2,074 84 61-62 12,765 2,584 15,349 14,385 7,093 628	5,563 2,158 7,721	5,162 2,176 7,338
31-V 43 43 59 70 56 56 73 72 24 275 299 309 140 73 5/ 2 1,057 1,059 1,749 223	140 223	185 67
77 149 149 96 178	178	323
31-V & 70-77 175 1,431 1,606 2,286 178 363	541	575
81 16,030 11,727 27,757 20,403 4,626 531 82 6/ 2 25 27 19 8 83 3,355 1,389 4,744 4,211 5,309 1,958	5,157 8 7,267	1,884 1 7,761
83 3,355 1,389 4,744 4,211 5,309 1,958 84 423 73 496 604 3,868 90	3,958	4,681
81-84 19,810 13,214 33,024 25,237 13,811 2,579	16,390	14,327
90 231,770 166 231,936 230,416 607 183	790	1,136
11-90 995,885 1,645,789 2,641,674 2,599,631 1,004,253 76,855	1,081,108	1,288,959

<sup>1/</sup> Total includes stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

<sup>2/</sup> These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

<sup>3/</sup> This table should be considered as representing only the approximate quantities owned respectively by dealers and manufacturers. The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. All Government loan stocks are included as dealer holdings.

<sup>4/</sup> Includes stocks on the Island of Puerto Rico.

<sup>5/</sup> For explanation of stocks included in this classification see footnote 5 on page 11.

Table 6.--Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, April 1, 1960 compared with other quarters  $\underline{1}/\underline{2}/$ 

#### REPORTED WEIGHT

Type name	: U.S. : April 1, 1960 <u>3</u> /						
	: type :	Unstemmed	: Stemmed	Total	April 1,	January 1, 1960	January 1, 1959
	:	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Old and Middle Belt flue-cured Eastern North Carolina flue-cured South Carolina flue-cured	: 11 : 12 : 13	329,424 301,339 220,782	282,387 341,569 177,710	611,811 642,908 398,492	660,611 699,391 415,693	679,530 <b>711</b> ,451 443,181	723,266 759,277 456,353
(including Southeastern N. C.) Georgia and Florida flue-cured Total Flue-cured	14 11-14	29,902 881,528	14 <u>1</u> ,494 945,602	171,396 1,827,130 <u>1</u> /	171,239	193,786 2,029,800	191,761 2,131,279
Virginia fire-cured Tennessee and Kentucky fire-cured (Eastern District)	: 21 : 22	20,752 89,268	222 489	20,974 89,757	21,424 92,147	19,840 69,543	21,061 76,962
(Western District)  Kentucky and Tennessee fire-cured  (Western District)	23	21,585	47	21,632	19,849	14,609*	17,105
Total Fire-cured	21-23	131,605	758	132,363	133,420	103,992*	115,128
Burley Southern Maryland	31 32	364,967 28,705	706,232 21,220	1,071,199 49,925	1,123,938 51,966	1,118,583* 54,450*	1,166,843 61,070
Total Light Air-cured	31-32	393,672	727,452	1,121,124	1,175,904	1,173,033*	1,227,913
One Sucker Green River Virginia sun-cured	35 36 37	42,778 18,972 5,298	1,750 1,087 216	44,528 20,059 5,514	44,307 21,667 5,109	39,088* 19,425 4,715	42,475 21,265 4,953
Total Dark Air-cured	35-37	67,048	3,053	70,101	71,083	63,228*	68,693
Pennsylvania Seedleaf Ohio Filler (Miami Valley) Puerto Rico:	41 42-44	112,199 17,677	8,705 729	120,904 18,406	117,880 17,164	84,494* 13,658	81,592 16,135
In United States In Puerto Rico	46 46	6,734 18,120	9,932 2,326	16,666 20,446	15,627 22,405	16,364 12,854*	16,478 14,597
Total Cigar-filler	41-46	154,730	21,692	176,422	173,076	127,370*	128,802
Connecticut Valley Broadleaf Connecticut Valley Havana Seed Southern Wisconsin	51 52 54	19,320 12,270 25,276	605 1,538 142	19,925 13,808 25,418	20,954 15,752 24,166	19,230* 15,077* 18,140	19,455 14,655 17,124
Northern Wisconsin Total Cigar-binder	55 51 <b>-</b> 55	28,477 85,343	2.942	29,134 88,285	31,084 91,956	21,284 73,731*	23,757 74,991
Connecticut shade Georgia and Florida shade Total Cigar-wrapper	61 62 61-62	12,443 7,415 19,858	2,375 837 3,212	14,818 8,252 23,070	13,964 7,759 21,723	16,930* 9,383* 26,313*	15,621 8,781 24,402
	:	: 19,000					
Low-nicotine Low-nicotine Perique	: 31-V : 70 : 72	 24	43 56 415	43 56 439	59 73 494	47 59 333	38 77 439
Other Miscellaneous Domestic 4/ Domestic Aromatic	: 73 : 77	2 327	1,280	1,282 327	1,816 419	1,768 399	1,598 1442
Total Miscellaneous Domestic	: 31-V & : 70-77		1,794	2,147	2,861	2,606	2,594
Cuba (Havana) Sumatra and Java 5/	81	20,656	12,258 25	32,914 35	22,287	24,309* 21	18,957 28
Philippine Islands (Manila) Other foreign-grown cigar-leaf	83 84	8,664	3,347 163	12,011 4,454	11,972 5,285	9,994 5,176	11,526 19
Total Foreign-grown Cigar-leaf	81-84	33,621	15,793	49,414	39,564	39,500*	30,530
Foreign-grown cigarette and smoking tobacco (Turkish and other)	90	232,377	349	232,726	231,552	228,928*	206,730
	: 11-90	2,000,135	1,722,647	3,722,782	3,888,590	3,868,501*	1

<sup>1/</sup> Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 3 and 4.
2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1959, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. 3/ Subject to revision. 4/ For explanation of stocks included in this classification see footnote 5 on page 11.

<sup>5/</sup> Does not include Sumatra and Java leaf held for sale in the Free Trade Zone. Revisions in January 1, 1960 report.



# UNITED STATES DEPARTMENT OF AGRICULTURE WASHINGTON 25, D. C.

April 1960 OFFICIAL BUSINESS POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

#### NOTICE

If you no longer need this publication, check here \_\_\_\_\_\_ return this sheet, and your name will be dropped from the mailing list.

If your address should be changed, write the new address on this sheet and return the whole sheet to:

Tobacco Division, Agricultural Marketing Service U. S. Department of Agriculture Washington 25, D. C.